



## *Network Server Cabinets*

### Comply with

- ANSI/EIARS-310-D,
- DIN41491; PART1,
- IEC297-2,
- DIN41494; PART7,
- GB/T3047.2-92 standard.
- Compatible with metric ETSI and 19 inch international standard.

### Features

- 19 inch width standard;
- Removable Side Panels, side locks optional;
- Knock off hole for entering cable on both top cover, bottom panel,real panel
- Turning angle of front door is over 180 degrees
- Easy mounting installation
- UN-assembled package saving shipping space
- fan,shelf,PDU are optional



## Material

- SPCC cold-rolled steel sheet;
- Thickness for frame 1.2mm;
- Mounting rail 2.0mm (1.5mm for 600mm depth cabinet);
- Fixed shelf 1.2mm;
- Side panel 1.2mm.
- Tempered glass thickness for door 5mm.

## Surface finish

- Degreasing,
- Pickling,
- Phosphating,
- Powder coating

## Loading Capacity

- 800kg on casters
- 1300kg on leveling feet

## Degree of Protection

- IP20

## Color Options

- Black
- White
- Other color upon request



SPCC Main Frame



Fan Unit




Removable side panel



Fix shelf



Door with Lock



Mounting Rails



Cable Management



Grounding system



Detachable wire entry



Casters & leveling feet

## Specification

S/N	Specification	Quantity	Unit	Material	Surface Finish
1	Frame	2	Piece	SPCC cold rolled steel t1.0 mm	Powder coated
2	Side panel	2	Piece	SPCC cold rolled steel t1.0 mm	Powder coated
3	Top cover	1	Piece	SPCC cold rolled steel t1.2 mm	Powder coated
4	Bottom panel	1	Piece	SPCC cold rolled steel t1.2 mm	Powder coated
5	Mounting profile	4	Piece	SPCC cold rolled steel t2.0 mm	Zinc plated
6	Mounting rail	4/6	Piece	SPCC cold rolled steel t1.2 mm	Powder coated
7	Front door	1	Piece	5MM tempered glass door/SPCC t1.2 mm mesh door	Powder coated
8	Rear door	1	Piece	Single open mesh vented door t1.2 mm	Powder coated
9	Casters	4	Piece	Nylon 2inch wheel	/
10	Leveling feet	4	Piece	Steel,adjustable 80-120mm	/
11	Lock with key	2	Piece	/	/
12	M6 Square nut	30	Piece	Steel	Color Zinc
13	M6 B-head screw	30	Piece	Steel	Color Zinc
14	Allen wrench	1	Piece	Steel	Color Zinc

## Model Table

Size	Inner Dimensions	Front Door	Rear Door	Part Number
18U	600mm x 600mm / 23.62" x 23.62"	Mesh Door	Mesh Double	WLJG19
	600mm x 800mm / 23.62" x 31.49"	Mesh Door	Mesh Double	WLJG20
	600mm x 600mm / 23.62" x 23.62"	Tempered Glazed with Vented Borders	Mesh Single	WLJG21
	600mm x 800mm / 23.62" x 31.49"	Tempered Glazed with Vented Borders	Mesh Single	WLJG22
22U	600mm x 600mm / 23.62" x 23.62"	Mesh Door	Mesh Double	WLJG23
	600mm x 800mm / 23.62" x 31.49"	Mesh Door	Mesh Double	WLJG24
	600mm x 600mm / 23.62" x 23.62"	Tempered Glazed with Vented Borders	Mesh Single	WLJG25
	600mm x 800mm / 23.62" x 31.49"	Tempered Glazed with Vented Borders	Mesh Single	WLJG26
27U	600mm x 600mm / 23.62" x 23.62"	Mesh Door	Mesh Double	WLJG27
	800mm x 800mm / 31.49" x 31.49"	Mesh Door	Mesh Double	WLJG28
	600mm x 600mm / 23.62" x 23.62"	Tempered Glazed with Vented Borders	Mesh Single	WLJG29
	800mm x 800mm / 31.49" x 31.49"	Tempered Glazed with Vented Borders	Mesh Single	WLJG30

Size	Inner Dimensions	Front Door	Rear Door	Part Number
<b>32U</b>	600mm x 600mm / 23.62" x 23.62"	Mesh Door	Mesh Double	WLJG08
	800mm x 800mm / 31.49" x 31.49"	Mesh Door	Mesh Double	WLJG09
	600mm x 600mm / 23.62" x 23.62"	Tempered Glazed with Vented Borders	Mesh Single	WLJG10
	800mm x 800mm / 31.49" x 31.49"	Tempered Glazed with Vented Borders	Mesh Single	WLJG11
<b>37U</b>	600mm x 600mm / 23.62" x 23.62"	Mesh Door	Mesh Double	WLJG12
	800mm x 800mm / 31.49" x 31.49"	Mesh Door	Mesh Double	WLJG13
	600mm x 600mm / 23.62" x 23.62"	Tempered Glazed with Vented Borders	Mesh Single	WLJG31
	800mm x 800mm / 31.49" x 31.49"	Tempered Glazed with Vented Borders	Mesh Single	WLJG32
<b>42U</b>	600mm x 1000mm / 23.62" x 39.37"	Mesh Door	Mesh Double	WLJG14
	800mm x 1000mm / 31.49" x 39.37"	Mesh Door	Mesh Double	WLJG15
	800mm x 1100mm / 31.49" x 43.30"	Mesh Door	Mesh Double	WLJG16
	600mm x 1000mm / 23.62" x 39.37"	Tempered Glazed with Vented Borders	Mesh Single	WLJG17
	800mm x 1000mm / 31.49" x 39.37"	Tempered Glazed with Vented Borders	Mesh Single	WLJG18
	800mm x 1100mm / 31.49" x 43.30"	Tempered Glazed with Vented Borders	Mesh Single	WLJG33

**All Sizes Can Be Customized**

## Standard Packing

